

4

REF ID: A219 549

GL-TR-89-0221

AD-A219 549

**SH Wave Scattering From a Sinusoidal Grating**

H. D. Axilrod  
J. F. Ferguson

Center for Lithospheric Studies  
The University of Texas at Dallas  
P. O. Box 830688  
Richardson, TX 75083-0688

1 August 1989

Final Report  
March 1987-March 1989

DTIC  
ELECTE  
MAR 20 1990  
S B D

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

GEOPHYSICS LABORATORY  
AIR FORCE SYSTEMS COMMAND  
UNITED STATES AIR FORCE  
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731-5000


90 03 20 / 131


SPONSORED BY  
Defense Advanced Research Projects Agency  
Nuclear Monitoring Research Office  
ARPA ORDER NO. 5299

MONITORED BY  
Geophysics Laboratory  
Contract No. F19628- 87-K-0029


The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency or the U.S. Government.

This technical report has been reviewed and is approved for publication.

  
JAMES F. LEWKOWICZ  
Contract Manager  
Solid Earth Geophysics Branch  
Earth Sciences Division

  
JAMES F. LEWKOWICZ  
Branch Chief  
Solid Earth Geophysics Branch  
Earth Sciences Division

FOR THE COMMANDER

  
DONALD H. ECKHARDT, Director  
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify AFGL/DAA, Hanscom AFB, MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release Distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S) GL-TR-89-0221		
6a. NAME OF PERFORMING ORGANIZATION University of Texas at Dallas		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION Geophysics Laboratory		
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 830688 Richardson, TX 75083-0688			7b. ADDRESS (City, State, and ZIP Code) Hanscom AFB, MA 01731-5000		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Defense Advanced Research Projects Agency		8b. OFFICE SYMBOL (if applicable) NMRO	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F19628-87-K-0029		
8c. ADDRESS (City, State, and ZIP Code) 1400 Wilson Blvd. Arlington, VA 22209-2308			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 61101E	PROJECT NO. 7410	TASK NO. DA
11. TITLE (Include Security Classification) SH Wave Scattering From a Sinusoidal Grating					
12. PERSONAL AUTHOR(S) H. D. Axilrod and J. F. Ferguson					
13a. TYPE OF REPORT Final Report		13b. TIME COVERED FROM 3/87 TO 3/89		14. DATE OF REPORT (Year, Month, Day) 1989, August, 1	
15. PAGE COUNT 46					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) Seismic modeling, non-horizontal layering, scattering numerical modeling		
FIELD	GROUP	SUB-GROUP			
19. ABSTRACT (Continue on reverse if necessary and identify by block number) → A good way to test discrete wavenumber modeling techniques is to model scattering from a sinusoidal free surface, while varying the maximum slope of the interface. Four discrete wavenumber methods, the Aki-Larner, the Waterman, the Waterman-Fourier, and the Campillo-Bouchon, are evaluated by testing for energy conservation and comparing displacement. Contrary to the claim of some authors (Varadan et al. 1987), the Waterman-Fourier shows no advantage over the Aki-Larner method for steep slopes. With the novel use of an FFT to calculate the scattering matrix, the Waterman-Fourier method is as fast as Aki-Larner. The Campillo-Bouchon method is superior to the other methods in its ability to handle steep slopes, but it requires more wavenumber samples and is an order of magnitude slower. <i>Handwritten: Aki-Larner, Waterman, Waterman-Fourier, Campillo-Bouchon</i>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL James F. Lewkowitz			22b. TELEPHONE (Include Area Code) (617) 377-3222		22c. OFFICE SYMBOL GL/LWH

## INTRODUCTION

Wave scattering from a sinusoidal grating has been a problem of considerable interest in a number of disciplines. It is of interest in seismology for modeling the affects of topography on seismic wave propagation. Many of the discrete wavenumber modeling techniques that have been developed for sinusoidal gratings are also applicable to interfaces of arbitrary shape.

In this paper we will compare results and numerical properties of four different discrete wavenumber modeling techniques. All of the comparisons are done for the simple problem of a sinusoidal free surface grating with a vertically traveling plane wave incident from below (Figure 1). Particle motion is parallel to the strike of the structure (SH waves). The modeling methods we will examine are the Aki-Larner method (1970), the Waterman method (1975), the Waterman-Fourier method (Varaden, et al. 1987), and the Campillo-Bouchon method (1987). We will refer to these methods as AL, WR, WF, and CB, respectively. All of these techniques are applicable to interfaces of arbitrary shape and can in principle be generalized, to fully elastic, multi-layer, and 3-D models.

A solution to the sinusoidal grating problem was proposed by Payleigh (1907). He expanded the wavefield in terms of up and down going plane waves and solved for the coefficients by satisfying the stress free boundary

For

I

on

n/

ty Codes

and/or

Special



1st

A-1

condition at a number of points along the surface. AL is essentially an overdetermined, least squares version of the Rayleigh method, formulated in the wavenumber domain. However, since Lippmann (1953) questioned the expansion used in the Rayleigh method, the so called "Rayleigh ansatz", the history of this modeling approach has been shrouded in controversy. Lippmann suggested that the Rayleigh expansion is satisfactory below a plane bounding the topography, but is unsatisfactory inside the peaks (Figure 2).

Petit and Cadilhac (1966) proved that the Rayleigh ansatz could not be valid if the ratio of the amplitude to the wavelength of the sinusoid ( $h/L$ ) is greater than 0.072. Millar (1971) proved that the Rayleigh ansatz is in fact valid if  $h/L$  is less than 0.072. Other authors have shown, e.g. Wirgin (1980) and Jiracek (1973), that the Rayleigh ansatz is usable for slopes greater than the Millar limit. There continues to be heated debate over this issue. (See Wirgin 1986, and Lakhtakia et al., 1986.)

In addition to the controversy over the validity of the Rayleigh ansatz, there has been discussion as to whether the Waterman method (WR) uses the ansatz. Basically this method, also known as the T-matrix method, makes use of the Helmholtz formula to generalize the boundary conditions. Waterman originally claimed that his approach was not dependent on the ansatz. Today, it is generally accepted that WR uses the ansatz and is therefore limited by the slope of the interface (Lakhtakia et al., 1985b).

WF is an alternative formulation of the Waterman method that uses the expansion proposed by Masel et al. (1975) instead of the Rayleigh *ansatz*. In principle, it is not limited by the slope of the interface.

The Campillo and Bouchon method (CB) resembles the aforementioned techniques in some ways, and it is clearly independent of the Rayleigh *ansatz*. CB is a collocation method similar to AL, but it parameterizes the reflected wavefield in terms of line (or point) sources distributed along the interface.

We will compare and evaluate the four techniques as they apply to the sinusoidal free surface, SH wave problem. In particular we will map the region of energy conservation with respect to slope ( $h/L$ ), frequency ( $k \cdot L$ ), and  $N$  (the number of plane waves used in the expansion). We will also examine the wavefield, at the interface and below the lower bounding plane of the topography.

# METHODS

In this section a unified description of the four methods will be given in order to define the common features. All of them operate on time harmonic solutions to the wavefields, and the time dependence,  $\exp(i\omega t)$ , is suppressed. In all four methods the model is assumed to be periodic in the x-direction, leading to a discrete plane wave representation of the wavefield. The x and z wavenumber components are:

$$k_n = 2\pi n/L \quad (1)$$

and 
$$\gamma_n = (\omega^2/\beta^2 - k_n^2)^{1/2} \quad (2)$$

where

$$\beta = (\mu/\rho)^{1/2} = \text{shear wave velocity.} \quad (3)$$

Effects of adjacent periods can be suppressed by adding a small imaginary component to  $\omega$  which can be defined in terms of a realistic Q parameter. Each of the methods can be stated in matrix form.

For AL, the matrix representation is,

$$\mathbf{a} = \mathbf{G} \mathbf{r} \quad (4)$$

where

$r_n$  = the coefficients in the Rayleigh expansion for the reflected waves, i.e.,

$$U_R = \sum_{-\infty}^{\infty} r_n e^{i(k_n x + \gamma_n z)} \quad z \geq \xi(x) \quad (5)$$

$a_m$  = the Fourier transform of the traction on the interface surface due to the incident field. For a vertically traveling plane wave of unit amplitude,

$$a_m = i\mu\gamma_0/L \int_0^L n_z e^{i\gamma_0\xi(x)} e^{-k_m x} dx. \quad (6)$$

And

$$G_{mn} = -i\mu/L \int_0^L \hat{n} \cdot k e^{i(k_n - k_m)x} e^{i\gamma_n\xi(x)} dx. \quad (7)$$

Truncation of the series (5) and discretization of integrals (6) and (7) leads to a least squares solution,

$$\left. \begin{matrix} n \\ m \end{matrix} \right\} = -M, \dots, 0, \dots, +M \quad (8)$$

where

$$N = 2M + 1. \quad (9)$$

The solution to (4) minimizes the normal stress at the surface sample points in a least squares sense. The vector  $\mathbf{a}$  and columns of the matrix  $\mathbf{G}$  can be calculated using the fast Fourier transform (FFT). In this study we use an FFT of length 128 and solve for a vector  $\mathbf{r}$  of length  $N$ . With  $N < 128$ , the problem is overdetermined.

The Waterman method derives from the Helmholtz formula equations (10 and 11), after plane wave expansions have been substituted for the Green's functions and the wavefields.



Equation 10 represents Huygen's principle, and equation 11 is the extended boundary condition. (Waterman 1975)

$$\left. \begin{array}{l} U_R(z \geq \xi) \\ U_I(z < \xi) \end{array} \right\} = 1/4i \int_{-\infty}^{+\infty} \hat{n} \cdot [U^+ \nabla g - g \nabla U^+] dx \quad (10)$$

$$(11)$$

where

$g$  = the free space Green's function,

and

$U^+$  = the wavefield on the interface.

Note that  $\hat{n} \cdot \nabla U^+ = 0$  on a free surface.

Modeling using WR or WF requires that we solve the following coupled set of matrix equations.

$$r = Q^+ \alpha \quad (12)$$

$$b = Q^- \alpha \quad (13)$$

where

$r_n$  = the coefficients of the reflected wavefield as  
in AL, except the domain is limited to  $z > h$ ,

$b_n$  = the coefficients of the incident wavefield, i.e.,

$$b_n = \begin{cases} 1 & n = 0 \\ 0 & n \neq 0 \end{cases} \quad (14)$$

and

$\alpha_m$  = the coefficients of the surface field  
expansion.

For WR,

$$U^+ = \sum_{m=-M}^{+M} \alpha_m e^{i(k_m x - \gamma_m \xi(x))} \quad (15)$$

$$Q_{nm}^{\pm} = i/kL \int_0^L (\gamma_m - k_m n_x / n_z) e^{i(k_m x \pm \gamma_n n)} e^{i(k_n x - \gamma_m \xi)} dx \quad (16)$$

and for WF,

$$U^+ = \sum_{m=-M}^{+M} \alpha_m e^{ik_m x} \quad (17)$$

$$Q_{nm}^{\pm} = i/kL \int_0^L (\gamma_m - k_m n_x / n_z) e^{i(k_m x \pm \gamma_n \xi)} e^{ik_n x} dx \quad (18)$$

Equations 12 and 13 correspond to equations 16 and 18, respectively, with an implied truncation length of  $2M+1$  wavenumber samples. Equation 15 is equivalent to the Rayleigh ansatz expansion, albeit expressed in terms of upgoing instead of downgoing waves. If we use the alternative surface field expansion proposed by Masel et al. (1975), the matrix equations represent the Waterman Fourier method (WF).

It is interesting to note that although they are used in a completely different context, the  $Q^-$  matrix for WF is nearly identical to the transpose of the  $G$  matrix used in AL. The two integral expressions are the same except for a factor  $(n_z)$  in the integrand. This suggests that the elements of the  $Q$  matrix can be generated a row at a time using an FFT. For a sinusoidal interface, the integral (18) simplifies to a Bessel function. However, in this study we will calculate the  $Q$  matrices using FFT's, as we would for

an interface of arbitrary shape. A sample length of 128 is used, the same as with AL.

A normalization scheme can be applied to WR or WF to improve stability. The details of this scheme are in Appendix I.

The CB method is a collocation method like AL. Unlike the other methods, however, the coefficient vector is in the space domain rather than the horizontal wavenumber domain. The wavefield is expanded in a series of line sources equally distributed in  $x$  along the interface:

$$x_n = (n-1) L/N. \quad (19)$$

For CB the matrix representation is

$$\mathbf{c} = \mathbf{B} \mathbf{f} \quad (20)$$

where

$c_n$  = the traction on the interface due to the incident field, i.e.,

$$c_n = i \mu n_z \gamma_0 e^{i \gamma_0 \xi(x_n)} \quad (21)$$

$f_m$  = the line source coefficients, i.e.,

$$U_R = 1/(2i\mu L) \sum_{m=-M}^{+M} f_m \sum_{p=-M}^{+M} (1/\gamma_p) e^{i \gamma_p |z - \xi_m|} e^{i k_p (x - x_m)} \quad (22)$$

and

$$B_{nm} = 1/(2i\mu) \sum_{p=-M}^{+M} (\hat{n} \cdot \mathbf{k} / \gamma_p) e^{i\gamma_p |z_n - z_m|} e^{ik_p(x_n - x_m)} \quad (23)$$

The use of the line source expansion (22) replaces the Rayleigh *ansatz* and Masel expansions used in AL and WF, respectively. Equation (20) extinguishes the normal stress at the source points; it is even-determined, with as many equations as there are line sources. We could formulate CB using an overdetermined least squares solution at the cost of an additional loop in the calculation of the matrix elements. This addition would be costly in terms of execution time.

## RESULTS

A simple way to evaluate the four techniques is to test for energy conservation. In each numerical experiment we assume that a monochromatic, vertically traveling plane wave of unit amplitude is incident on a sinusoidal free surface. Energy conservation requires that the reflected energy flux equals the incident energy flux, i.e.,

$$\sum_{n=-M}^{+M} |r_n|^2 \frac{\operatorname{Re}(\gamma_n)}{|\gamma_n|} = 1, \quad (24)$$

as used by others (Larner 1970, Lakhtakia et al. 1985a).

The interface slope is described by  $h/L$ , the ratio of the amplitude to the period of the sinusoid. The frequency of the incoming energy is described by  $k \cdot L$ , the normalized frequency. It is also necessary to specify  $N$ , the number of coefficients or discrete wavenumbers samples to be used in a particular numerical experiment. The region of energy conservation in the two dimensional  $\{N-(k \cdot L)\}$  domain has been mapped for each of the modeling techniques and for various interface slopes.

A number of features in the energy conservation maps are worthy of mention. As the normalized frequency increases, more coefficients are needed to obtain convergence and energy conservation. This is expected

because with increasing frequency more of the coefficients represent propagating waves. The WR, WF, and AL techniques are all limited to a maximum wavenumber beyond which the solution diverges and energy is not conserved. CB does not appear to have such a limit.

For the methods that are wavenumber limited, the maximum number of samples,  $N_{\max}$ , depends on frequency and  $h/L$ , the slope of the interface. For steep slopes ( $h/L \geq 0.15$ ) there is an upper limit on the frequency for which convergence occurs at any wavenumber. Therefore, when we discuss slope limitations for a particular modeling method we must also specify frequency.

Note that the wavenumber limit is a numerical feature not necessarily related to the Rayleigh ansatz. For example, the WF method which does not invoke the Rayleigh ansatz has an  $N_{\max}$  for slopes both above and below the Millar limit of  $h/L = 0.072$ . Also the WR and AL methods have wavenumber limits for  $h/L$  less than 0.072.

Further scrutiny of Figure 3 reveals that  $N_{\max}$  is always in the evanescent wave region where coefficient amplitudes increase exponentially with  $z$ . Use of these waves in the solution will eventually exceed the precision and wordsize of the computer. The convergence range can of course be extended by increasing the word length and precision.

The most significant feature of the energy conservation maps is that the WF and AL methods have very similar regions

of convergence. For steep slopes, the two methods show convergence up to about the same maximum frequency. For  $h/L = 0.1$ , AL and WF are nearly the same except WF diverges somewhat more rapidly as  $N$  increases. For  $h/L = 0.072$ , there is a more dramatic difference in the rate of divergence. Nonetheless, these data support the observation made by Wirgin (1980), that regardless of the Rayleigh ansatz, the WF and AL methods are limited to the same maximum slope.

The performance of WR falls short of WF or AL. For gradual slopes, WR has lower  $N_{\max}$  values, and for steep slopes WR does not converge at all. It is no surprise that WR would have a lower  $N_{\max}$  than WF since Waterman's original surface field expansion introduces an additional exponential factor in the calculation of the Q-matrix elements. (Equation 15 as compared to equation 17.)

Use of the normalization technique described in Appendix I alters the region of convergence for the WR and WF methods. The normalization does not extend the maximum allowable slope, but it does increase  $N_{\max}$ , allowing more coefficients to be used, especially at frequencies below the maximum for a particular slope. With the normalization, the region of energy conservation for the WF method and the AL method are nearly identical even at low slopes (Figure 4). The region of convergence for the WR method is also extended by use of the normalization.

The convergence characteristics of the CB method are substantially different from the other three methods. For CB there is apparently no limit due to the exponential factors associated with evanescent waves. The absolute value in the formulation of the CB method ensures that only exponentially decaying factors are in the matrix elements. In general, more wavenumber samples are needed with the CB method to obtain the same accuracy in energy conservation as with the other methods. This may be partially due to the fact that CB is an even-determined collocation method as opposed to AL which is over-determined.

The conservation of energy constraint is one way to evaluate the four modeling techniques. Another such test is the satisfaction of boundary conditions. Unfortunately, for some of the techniques this is neither practical nor possible. As formulated, the CB method is even-determined and the residuals of normal stress are always zero. For the Waterman techniques there is no valid expression for the stress at the interface. The expansion of the Green's function in terms of only upgoing or downgoing waves, yields a reflected wavefield solution that is valid only in the region below the lower bounding plane.

An alternative evaluation for the modeling techniques is to compare the displacements at the interface. It is possible to calculate displacements at the interface with all of the methods, even the Waterman techniques because equations 15 and 17 do apply immediately at the surface.



Although there is no boundary condition for displacements to satisfy, they can be used to test for consistency between the methods. Figure 5 shows surface displacements calculated with each of the modeling techniques for interfaces of low, moderate, and steep slope. In each case an appropriate frequency and number of samples have been chosen, i.e., well within the region of energy conservation.

For small slopes, ( $h/L = 0.1$ ) all four methods agree well in terms of surface displacement. Note that the AL and WR methods agree with the others despite the fact that the slope is beyond Millar's theoretical Rayleigh limit of 0.072.

For the medium and steep slope models, the results are different. We see that the WF and CB methods agree well in terms of displacement on the surface, but WR and AL show marked differences. WR does not satisfy the energy conservation constraint for these parameters, so it is not surprising that the surface displacements are different. For AL the energy conservation constraint is satisfied, but the method fails to yield correct surface displacements for slopes significantly beyond the Rayleigh limit.

It is useful to compare the wavefields not only at the surface, but also below the lower bounding plane of the topography. One way to do this is to look at displacements at the lower bounding plane ( $z = h$ ). Another way is to compare the amplitude spectra of the reflected energy. Figure 6 shows the displacements at  $z = h$  for the same slope

and frequency cases for which we examined surface displacements. For  $h/L = 0.1$  all four methods agree closely. For the steeper slope, WF, AL and CB agree, but WR fails to give a consistent result. The amplitude spectra in Figure 7 show the same pattern of consistency. For steep slope the spectrum for WR blows up in the evanescent wavenumber range, but the other methods agree reasonably well. (Note the logarithmic scale.)

For slope greater than the Millar limit AL fails to yield surface displacements consistent with the other methods, but it appears to give the correct result below the lower bounding plane.

### COMPUTATIONAL CONSIDERATIONS

In general, the CB method requires more wavenumber samples to converge and is slower for a given  $N$ , than the other methods. This is unfortunate, since it performs well over a broader range of slope and frequency parameters.

Figure 8 shows the computation time for each of the methods on the CONVEX C1 supercomputer using single precision arithmetic. For  $N > 40$  the CPU time required for CB is approximately an order of magnitude greater than for AL or WF.

Each algorithm consists of two labor intensive parts, creating the  $N \times N$  matrix and solving the system. The AL, WR, and WF algorithms each require the execution of three nested loops to create the matrix. Two of these loops can be vectorized by the CONVEX fortran compiler. The additional time required for CB is due to an additional loop implied by equation 22 as compared to equation 5 for AL and equations 15 and 17 for WR and WF. For each of the methods, the LINPACK Gaussian elimination routine CGECO, optimized for the CONVEX, is used to solve the system. A conjugate gradient linear equation solver was tried, but proved to be slower than CGECO.

In Figure 8 we see the dramatic improvement in speed obtained by using an FFT in conjunction with the Waterman Fourier method.

### SUMMARY

We have presented evidence that the AL, WR, WF, and CB methods are useable for slopes greater than the theoretical limit established by Millar for the Rayleigh ansatz. For a limited class of problems, (SH waves normally incident on a sinusoidal free surface), we have determined the maximum slope and frequency that each method can handle. This has been accomplished by mapping the region in slope/frequency space where the various methods converge and satisfy the energy conservation requirement. The fact that the resulting wavefields are consistent between methods indicates that the convergent solutions are indeed valid.

Of the four methods studied, it is clear that CB is the most stable and converges over the broadest range of slopes and frequencies. The AL and WF methods have convergence properties very similar to one another supporting the conclusion of Wirgin (1980) that neither is superior for steep slopes. We see that for steep slopes, AL gives erroneous results for displacement on the interface but gives valid displacements (consistent with WF and CB) beyond the topography. WR is the least stable of the four methods and converges only for low slopes.

AL possesses a potential advantage over WF for multi-layer problems if an interface is within the topography of an adjacent interface. This advantage exists only for low slopes where the Rayleigh expansion is valid both inside and

outside the bounding plane of the topography, i.e. for  $h/L < 0.072$ . The Waterman methods do not yield solutions to the wavefield inside the topography.

We have introduced a normalization technique that improves the stability of WR and WF. This modification allows more wavenumber samples to be used in the calculations, but it does not significantly extend the slope/frequency limits of those methods.

In terms of execution time, the AL and WF methods are fastest. Using an FFT to calculate each row of the matrix in WF is faster than computing  $N$  individual integrals or Bessel functions. For nonsinusoidal interfaces the improvement in speed will be most dramatic.

The CB method, while it is the most stable, is also the slowest. It has an additional loop in the calculation of the matrix elements and requires more wavenumber samples to achieve convergence.

# **ACKNOWLEDGEMENT**

We would like to thank Robert Parker for the use of his program PLOTXY. This research was supported by contract F19628-87-K-0029 of the Advanced Research Projects Agency of the Department of Defense and monitored by the Air Force Geophysics Laboratory. Contribution number 647 from the Program in Geosciences of the University of Texas at Dallas.

**FIGURE 1** Schematic of the numerical experiments.  $U_I$  and  $U_R$  are the incident and reflected wavefields. Below the interface the shear modulus and density are  $\mu$  and  $\rho$  respectively.

**FIGURE 2** The "Rayleigh ansatz" expands the reflected wavefield below the interface as the sum of downgoing plane waves. Lippmann pointed out that the ansatz was incapable of representing upgoing reflected energy in the region between the interface and the plane that bounds the topography.

**FIGURE 3** Energy conservation as a function of frequency and number of coefficients. Asterices represent reflected energy flux within 1% of incident flux. Plus signs represent 1-5% error. Each symbol corresponds to a separate numerical experiment. Each frame corresponds to a particular technique and slope.

**FIGURE 4** Improvement in convergence due to normalization.

**FIGURE 5** Displacement on the interface. Each frame corresponds to a separate numerical experiment. The AL method gives anomalous results despite satisfying energy conservation.

**FIGURE 6** Displacement on the lower plane bounding the topography ( $z=h$ ), using the same experimental parameters as in Figure 5. The AL method agrees with WF and CB.

**FIGURE 7** Wavenumber spectrum of reflected energy at  $z=h$ , using the same experimental parameters as in Figures 4 & 5.

**FIGURE 8** Computation time on the Convex C1 supercomputer as a function of  $N$ , the number of coefficients.






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8



## APPENDIX I

To invoke the normalization multiply equations 12 and 13 as follow:

$$W r = W Q^+ \alpha$$

$$[W]^{-1} b = [W]^{-1} Q^- \alpha$$

where

$$W_{mn} = \begin{cases} e^{-i\gamma_n h} & n = m \\ 0 & n \neq m \end{cases}$$

Then solve the new system, which has improved stability:

$$r' = Q^{+'} \alpha$$

$$b' = Q^{-'} \alpha$$

$$r' = Q^{+'} [Q^{-'}]^{-1} b'$$

Converting to the original basis functions,

$$r = W Q^{+'} [Q^{-'}]^{-1} W a.$$

## REFERENCES

- Aki, K. and K. L. Larner (1970). Surface motion of a layered medium having an irregular interface due to incident plane SH waves, *J. Geophys. Res.* **75**, 933-954.
- Campillo, M. and M. Bouchon (1985). Synthetic SH seismograms in a laterally varying medium by the discrete wavenumber method, *Geophys. J. R. Astr. Soc.* **83**, 307-317.
- Jiracek, G. R. (1973) Numerical comparison of a modified Rayleigh approach with other rough surface EM scattering solutions, *IEEE Trans. Antenna Propagation* **AP-21**, 393-396.
- Lakhtakia, A., V. K. Varadan, and V. V. Varadan (1985a). Scattering by a partially illuminated, doubly infinite surface, *J. Acoust. Soc. Am.* **77**, 1999-2004.
- Lakhtakia, A., V. K. Varadan, and V. V. Varadan (1985b). On the acoustic response of a deeply corrugated periodic surface - a hybrid T-matrix approach, *J. Acoust. Soc. Am.* **78**, 2100-2104.
- Lakhtakia, A., V. K. Varadan, and V. V. Varadan (1986). Reply to "Comments on 'On the acoustic response of a deeply corrugated periodic surface - a hybrid T-matrix approach'", *J. Acoust. Soc. Am.* **80**, 964-965.
- Larner, K. L. (1970) Near-receiver scattering of teleseismic body waves in layered crust-mantle models having irregular interfaces, *Ph.D. thesis, Massachusetts institute of Technology, Cambridge, Massachusetts.*
- Lippmann B. A. (1953). Note on the theory of gratings, *J. Opt. Soc. Amer.* **43**, 408.
- Masel, R. I., R. P. Merrill, and W. H. Miller (1975). Quantum scattering from a sinusoidal hard wall: Atomic diffraction from solid surfaces, *Phys. Rev. B* **12**, 5545-5551.
- Millar, R. F. (1971). On the Rayleigh assumption in scattering by a periodic surface, *Proc. Camb. Philos. Soc.* **69**, 217-255.
- Petit R. and M. Cadilhac (1966). Sur la diffraction d'une onde plane par un réseau infiniment conducteur, *C. R. Acad. Sci., Ser. B.* **262**, 468-471.
- Rayleigh, Lord (J. W. Strutt) (1907). On the dynamical theory of gratings, *Proc. Roy. Soc., Ser. A.* **79**, 399-416.

- Varadan, V. K., A. Lakhtakia, V. V. Varadan, and C. A. Langston (1987). Radiation characteristics of elastodynamic line sources buried in layered media with periodic interfaces. I. SH-wave analysis, *Bull. Seism. Soc. Am.* **77**, 2181-2191.
- Waterman, P. C. (1975). Scattering by periodic surfaces, *J. Acoust. Soc. Am.* **57**, 791-802.
- Wirgin, A. (1980). Reflection from a corrugated surface, *J. Acoust. Soc. Am.* **68**, 692-699.
- Wirgin, A. (1986). Comments on "On the acoustic response of a deeply corrugated periodic surface - a hybrid T-matrix approach", *J. Acoust. Soc. Am.* **80**, 963-965.

CONTRACTORS (United States)

Prof. Thomas Ahrens  
Seismological Lab, 252-21  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Prof. Charles B. Archambeau  
CIRES  
University of Colorado  
Boulder, CO 80309

Prof. Muawia Barazangi  
Institute for the Study of the Continent  
Cornell University  
Ithaca, NY 14853

Dr. Douglas R. Baumgardt  
ENSCO, Inc  
5400 Port Royal Road  
Springfield, VA 22151-2388

Prof. Jonathan Berger  
IGPP, A-025  
Scripps Institution of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Dr. Lawrence J. Burdick  
Woodward-Clyde Consultants  
566 El Dorado Street  
Pasadena, CA 91109-3245

Dr. Karl Coyner  
New England Research, Inc.  
76 Olcott Drive  
White River Junction, VT 05001

Prof. Vernon F. Cormier  
Department of Geology & Geophysics  
U-45, Room 207  
The University of Connecticut  
Storrs, CT 06268

Prof. Steven Day  
Department of Geological Sciences  
San Diego State University  
San Diego, CA 92182

Dr. Zoltan A. Der  
ENSCO, Inc.  
5400 Port Royal Road  
Springfield, VA 22151-2388

Prof. John Ferguson  
Center for Lithospheric Studies  
The University of Texas at Dallas  
P.O. Box 830688  
Richardson, TX 75083-0688

Prof. Stanley Flatte  
Applied Sciences Building  
University of California  
Santa Cruz, CA 95064

Dr. Alexander Florence  
SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025-3493

Prof. Henry L. Gray  
Vice Provost and Dean  
Department of Statistical Sciences  
Southern Methodist University  
Dallas, TX 75275

Dr. Indra Gupta  
Teledyne Geotech  
314 Montgomery Street  
Alexandria, VA 22314

Prof. David G. Harkrider  
Seismological Laboratory  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Prof. Donald V. Helmberger  
Seismological Laboratory  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Prof. Eugene Herrin  
Institute for the Study of Earth and Man  
Geophysical Laboratory  
Southern Methodist University  
Dallas, TX 75275

Prof. Robert B. Herrmann  
Department of Earth & Atmospheric Sciences  
St. Louis University  
St. Louis, MO 63156

Prof. Bryan Isacks  
Cornell University  
Department of Geological Sciences  
SNEE Hall  
Ithaca, NY 14850

Dr. Rong-Song Jih  
Teledyne Geotech  
314 Montgomery Street  
Alexandria, VA 22314

Prof. Lane R. Johnson  
Seismographic Station  
University of California  
Berkeley, CA 94720

Prof. Alan Kafka  
Department of Geology & Geophysics  
Boston College  
Chestnut Hill, MA 02167

Prof. Fred K. Lamb  
University of Illinois at Urbana-Champaign  
Department of Physics  
1110 West Green Street  
Urbana, IL 61801

Prof. Charles A. Langston  
Geosciences Department  
403 Deike Building  
The Pennsylvania State University  
University Park, PA 16802

Prof. Thorne Lay  
Department of Geological Sciences  
1006 C.C. Little Building  
University of Michigan  
Ann Arbor, MI 48109-1063

Prof. Arthur Lerner-Lam  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Dr. Christopher Lynnes  
Teledyne Geotech  
314 Montgomery Street  
Alexandria, VA 22314

Prof. Peter Malin  
University of California at Santa Barbara  
Institute for Crustal Studies  
Santa Barbara, CA 93106

Dr. Randolph Martin, III  
New England Research, Inc.  
76 Olcott Drive  
White River Junction, VT 05001

Dr. Gary McCartor  
Mission Research Corporation  
735 State Street  
P.O. Drawer 719  
Santa Barbara, CA 93102 (2 copies)

Prof. Thomas V. McEvilly  
Seismographic Station  
University of California  
Berkeley, CA 94720

Dr. Keith L. McLaughlin  
S-CUBED  
A Division of Maxwell Laboratory  
P.O. Box 1620  
La Jolla, CA 92038-1620

Prof. William Menke  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Stephen Miller  
SRI International  
333 Ravenswood Avenue  
Box AF 116  
Menlo Park, CA 94025-3493

Prof. Bernard Minster  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Prof. Brian J. Mitchell  
Department of Earth & Atmospheric Sciences  
St. Louis University  
St. Louis, MO 63156

Mr. Jack Murphy  
S-CUBED, A Division of Maxwell Laboratory  
11800 Sunrise Valley Drive  
Suite 1212  
Reston, VA 22091 (2 copies)

Dr. Bao Nguyen  
GL/LWH  
Hanscom AFB, MA 01731-5000

Prof. John A. Orcutt  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Prof. Keith Priestley  
University of Nevada  
Mackay School of Mines  
Reno, NV 89557

Prof. Paul G. Richards  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Dr. Wilmer Rivers  
Teledyne Geotech  
314 Montgomery Street  
Alexandria, VA 22314

Dr. Alan S. Ryall, Jr.  
Center for Seismic Studies  
1300 North 17th Street  
Suite 1450  
Arlington, VA 22209-2308

Prof. Charles G. Sammis  
Center for Earth Sciences  
University of Southern California  
University Park  
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Prof. David G. Simpson  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Dr. Jeffrey Stevens  
S-CUBED  
A Division of Maxwell Laboratory  
P.O. Box 1620  
La Jolla, CA 92038-1620

Prof. Brian Stump  
Institute for the Study of Earth & Man  
Geophysical Laboratory  
Southern Methodist University  
Dallas, TX 75275

Prof. Jeremiah Sullivan  
University of Illinois at Urbana-Champaign  
Department of Physics  
1110 West Green Street  
Urbana, IL 61801

Prof. Clifford Thurber  
University of Wisconsin-Madison  
Department of Geology & Geophysics  
1215 West Dayton Street  
Madison, WI 53706

Prof. M. Nafi Toksoz  
Earth Resources Lab  
Massachusetts Institute of Technology  
42 Carleton Street  
Cambridge, MA 02142

Prof. John E. Vidale  
University of California at Santa Cruz  
Seismological Laboratory  
Santa Cruz, CA 95064

Prof. Terry C. Wallace  
Department of Geosciences  
Building #77  
University of Arizona  
Tucson, AZ 85721

Dr. Raymond Willeman  
GL/LWH  
Hanscom AFB, MA 01731-5000

Dr. Lorraine Wolf  
GL/LWH  
Hanscom AFB, MA 01731-5000

Prof. Francis T. Wu  
Department of Geological Sciences  
State University of New York  
at Binghamton  
Vestal, NY 13901

OTHERS (United States)

Dr. Monem Abdel-Gawad  
Rockwell International Science Center  
1049 Camino Dos Rios  
Thousand Oaks, CA 91360

Dr. Stephen Bratt  
Science Applications Int'l Corp.  
10210 Campus Point Drive  
San Diego, CA 92121

Prof. Keiiti Aki  
Center for Earth Sciences  
University of Southern California  
University Park  
Los Angeles, CA 90089-0741

Michael Browne  
Teledyne Geotech  
3401 Shiloh Road  
Garland, TX 75041

Prof. Shelton S. Alexander  
Geosciences Department  
403 Deike Building  
The Pennsylvania State University  
University Park, PA 16802

Mr. Roy Burger  
1221 Serry Road  
Schenectady, NY 12309

Dr. Ralph Archuleta  
Department of Geological Sciences  
University of California at Santa Barbara  
Santa Barbara, CA 93102

Dr. Robert Burrige  
Schlumberger-Doll Research Center  
Old Quarry Road  
Pidgefield, CT 06877

Dr. Thomas C. Bache, Jr.  
Science Applications Int'l Corp.  
10210 Campus Point Drive  
San Diego, CA 92121 (2 copies)

Dr. Jerry Carter  
Rondout Associates  
P.O. Box 224  
Stone Ridge, NY 12484

J. Barker  
Department of Geological Sciences  
State University of New York  
at Binghamton  
Vestal, NY 13901

Dr. W. Winston Chan  
Teledyne Geotech  
314 Montgomery Street  
Alexandria, VA 22314-1581

Dr. T.J. Bennett  
S-CUBED  
A Division of Maxwell Laboratory  
11800 Sunrise Valley Drive, Suite 1212  
Reston, VA 22091

Dr. Theodore Cherry  
Science Horizon, Inc.  
710 Encinitas Blvd., Suite 200  
Encinitas, CA 92024 (2 copies)

Mr. William J. Best  
907 Westwood Drive  
Vienna, VA 22180

Prof. Jon F. Claerbout  
Department of Geophysics  
Stanford University  
Stanford, CA 94305

Dr. N. Biswas  
Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701

Prof. Robert W. Clayton  
Seismological Laboratory  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Dr. G.A. Bollinger  
Department of Geological Sciences  
Virginia Polytechnical Institute  
21044 Derring Hall  
Blacksburg, VA 24061

Prof. F. A. Dahlen  
Geological and Geophysical Sciences  
Princeton University  
Princeton, NJ 08544-0636

Prof. Anton W. Dainty  
Earth Resources Lab  
Massachusetts Institute of Technology  
42 Carleton Street  
Cambridge, MA 02142

Prof. Adam Dziewonski  
Hoffman Laboratory  
Harvard University  
20 Oxford St  
Cambridge, MA 02138

Prof. John Ebel  
Department of Geology & Geophysics  
Boston College  
Chestnut Hill, MA 02167

Eric Fielding  
SNEE Hall  
INSTOC  
Cornell University  
Ithaca, NY 14853

Prof. Donald Forsyth  
Department of Geological Sciences  
Brown University  
Providence, RI 02912

Prof. Art Frankel  
Mail Stop 922  
Geological Survey  
790 National Center  
Reston, VA 22092

Dr. Anthony Gangi  
Texas A&M University  
Department of Geophysics  
College Station, TX 77843

Dr. Freeman Gilbert  
Inst. of Geophysics & Planetary Physics  
University of California, San Diego  
P.O. Box 109  
La Jolla, CA 92037

Mr. Edward Giller  
Pacific Sierra Research Corp.  
1401 Wilson Boulevard  
Arlington, VA 22209

Dr. Jeffrey W. Given  
Sierra Geophysics  
11255 Kirkland Way  
Kirkland, WA 98033

Prof. Stephen Grand  
University of Texas at Austin  
Department of Geological Sciences  
Austin, TX 78713-7909

Prof. Roy Greenfield  
Geosciences Department  
403 Deike Building  
The Pennsylvania State University  
University Park, PA 16802

Dan N. Hagedorn  
Battelle  
Pacific Northwest Laboratories  
Battelle Boulevard  
Richland, WA 99352

Kevin Hutchenson  
Department of Earth Sciences  
St. Louis University  
3507 Laclede  
St. Louis, MO 63103

Prof. Thomas H. Jordan  
Department of Earth, Atmospheric  
and Planetary Sciences  
Massachusetts Institute of Technology  
Cambridge, MA 02139

Robert C. Kemerait  
ENSCO, Inc.  
445 Pineda Court  
Melbourne, FL 32940

William Kikendall  
Teledyne Geotech  
3401 Shiloh Road  
Garland, TX 75041

Prof. Leon Knopoff  
University of California  
Institute of Geophysics & Planetary Physics  
Los Angeles, CA 90024

Prof. L. Timothy Long  
School of Geophysical Sciences  
Georgia Institute of Technology  
Atlanta, GA 30332

Prof. Art McGarr  
Mail Stop 977  
Geological Survey  
345 Middlefield Rd.  
Menlo Park, CA 94025



Dr. George Mellman  
Sierra Geophysics  
11255 Kirkland Way  
Kirkland, WA 98033

Prof. John Nabelek  
College of Oceanography  
Oregon State University  
Corvallis, OR 97331

Prof. Geza Nagy  
University of California, San Diego  
Department of Ames, M.S. B-010  
La Jolla, CA 92093

Prof. Amos Nur  
Department of Geophysics  
Stanford University  
Stanford, CA 94305

Prof. Jack Oliver  
Department of Geology  
Cornell University  
Ithaca, NY 14850

Prof. Robert Phinney  
Geological & Geophysical Sciences  
Princeton University  
Princeton, NJ 08544-0636

Dr. Paul Pomeroy  
Rondout Associates  
P.O. Box 224  
Stone Ridge, NY 12484

Dr. Jay Pulli  
RADIX System, Inc.  
2 Taft Court, Suite 203  
Rockville, MD 20850

Dr. Norton Rimer  
S-CUBED  
A Division of Maxwell Laboratory  
P.O. Box 1620  
La Jolla, CA 92038-1620

Prof. Larry J. Ruff  
Department of Geological Sciences  
1006 C.C. Little Building  
University of Michigan  
Ann Arbor, MI 48109-1063

Dr. Richard Sailor  
TASC Inc.  
55 Walkers Brook Drive  
Reading, MA 01867

Thomas J. Sereno, Jr.  
Science Application Int'l Corp.  
10210 Campus Point Drive  
San Diego, CA 92121

John Sherwin  
Teledyne Geotech  
3401 Shiloh Road  
Garland, TX 75041

Prof. Robert Smith  
Department of Geophysics  
University of Utah  
1400 East 2nd South  
Salt Lake City, UT 84112

Prof. S. W. Smith  
Geophysics Program  
University of Washington  
Seattle, WA 98195

Dr. Stewart Smith  
IRIS Inc.  
1616 North Fort Myer Drive  
Suite 1440  
Arlington, VA 22209

Dr. George Sutton  
Rondout Associates  
P.O. Box 224  
Stone Ridge, NY 12484

Prof. L. Sykes  
Lamont-Doherty Geological Observatory  
of Columbia University  
Palisades, NY 10964

Prof. Pradeep Talwani  
Department of Geological Sciences  
University of South Carolina  
Columbia, SC 29208

Prof. Ta-liang Teng  
Center for Earth Sciences  
University of Southern California  
University Park  
Los Angeles, CA 90089-0741

Dr. R.B. Tittmann  
Rockwell International Science Center  
1049 Camino Dos Rios  
P O. Box 1085  
Thousand Oaks, CA 91360

Dr. Gregory van der Vink  
IRIS, Inc.  
1616 North Fort Myer Drive  
Suite 1440  
Arlington, VA 22209

William R. Walter  
Seismological Laboratory  
University of Nevada  
Reno, NV 89557

Dr. Gregory Wojcik  
Weidlinger Associates  
4410 El Camino Real  
Suite 110  
Los Altos, CA 94022

Prof. John H. Woodhouse  
Hoffman Laboratory  
Harvard University  
20 Oxford Street  
Cambridge, MA 02138

Dr. Gregory B. Young  
ENSCO, Inc.  
5400 Port Royal Road  
Springfield, VA 22151-2388

GOVERNMENT

Dr. Ralph Alewine III  
DARPA/NMRO  
1400 Wilson Boulevard  
Arlington, VA 01731-5000

Mr. James C. Battis  
GL/LWH  
Hanscom AFB, MA 22209-2308

Dr. Robert Blandford  
DARPA/NMRO  
1400 Wilson Boulevard  
Arlington, VA 87185

Eric Chael  
Division 9241  
Sandia Laboratory  
Albuquerque, NM 01731-5000

Dr. John J. Cipar  
GL/LWH  
Hanscom AFB, MA 01731-5000

Mr. Jeff Duncan  
Office of Congressman Markey  
2133 Rayburn House Bldg.  
Washington, D.C. 20515

Dr. Jack Evernden  
USGS - Earthquake Studies  
345 Middlefield Road  
Menlo Park, CA 94025

Art Frankel  
USGS  
922 National Center  
Reston, VA 22092

Dr. T. Hanks  
USGS  
Nat'l Earthquake Research Center  
345 Middlefield Road  
Menlo Park, CA 94025

Dr. James Hannon  
Lawrence Livermore Nat'l Laboratory  
P.O. Box 808  
Livermore, CA 94550

Paul Johnson  
ESS-4, Mail Stop J979  
Los Alamos National Laboratory  
Los Alamos, NM 87545

Janet Johnston  
GL/LWH  
Hanscom AFB, MA 01731-5000

Dr. Katharine Kadinsky-Cade  
GL/LWH  
Hanscom AFB, MA 01731-5000

Ms. Ann Kerr  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Dr. Max Koontz  
US Dept of Energy/DP 5  
Forrestal Building  
1000 Independence Avenue  
Washington, DC 20585

Dr. W.H.K. Lee  
Office of Earthquakes, Volcanoes,  
& Engineering  
345 Middlefield Road  
Menlo Park, CA 94025

Dr. William Leith  
U.S. Geological Survey  
Mail Stop 928  
Reston, VA 22092

Dr. Richard Lewis  
Director, Earthquake Engineering & Geophysics  
U.S. Army Corps of Engineers  
Box 631  
Vicksburg, MS 39180

James F. Lewkowicz  
GL/LWH  
Hanscom AFB, MA 01731-5000

Mr. Alfred Lieberman  
ACDA/VI-OA State Department Bldg  
Room 5726  
320 - 21st Street, NW  
Washington, DC 20451

Stephen Mangino  
GL/LWH  
Hanscom AFB, MA 01731-5000

Dr. Frank F. Pilotte  
HQ AFTAC/TT  
Patrick AFB, FL 32925-6001

Dr. Robert Masse  
Box 25046, Mail Stop 967  
Denver Federal Center  
Denver, CO 80225

Katie Poley  
CIA-OSWR/NED  
Washington, DC 20505

Art McGarr  
U.S. Geological Survey, MS-977  
345 Middlefield Road  
Menlo Park, CA 94025

Mr. Jack Rachlin  
U.S. Geological Survey  
Geology, Rm 3 C136  
Mail Stop 928 National Center  
Reston, VA 22092

Richard Morrow  
ACDA/VI, Room 5741  
320 21st Street N.W  
Washington, DC 20451

Dr. Robert Reinke  
WL/NTESG  
Kirtland AFB, NM 87117-6008

Dr. Keith K. Nakanishi  
Lawrence Livermore National Laboratory  
P.O. Box 808, L-205  
Livermore, CA 94550

Dr. Byron Ristvet  
HQ DNA, Nevada Operations Office  
Attn: NVCG  
P.O. Box 98539  
Las Vegas, NV 89193

Dr. Carl Newton  
Los Alamos National Laboratory  
P.O. Box 1663  
Mail Stop C335, Group ESS-3  
Los Alamos, NM 87545

Dr. George Rothe  
HQ AFTAC/TGR  
Patrick AFB, FL 32925-6001

Dr. Kenneth H. Olsen  
Los Alamos Scientific Laboratory  
P.O. Box 1663  
Mail Stop C335, Group ESS-3  
Los Alamos, NM 87545

Dr. Michael Shore  
Defense Nuclear Agency/SPSS  
6801 Telegraph Road  
Alexandria, VA 22310

Howard J. Patton  
Lawrence Livermore National Laboratory  
P.O. Box 808, L-205  
Livermore, CA 94550

Donald L. Springer  
Lawrence Livermore National Laboratory  
P.O. Box 808, L-205  
Livermore, CA 94550

Mr. Chris Paine  
Office of Senator Kennedy, SR 315  
  
United States Senate  
Washington, DC 20510

Dr. Lawrence Turnbull  
OSWR/NED  
Central Intelligence Agency, Room 5G48  
Washington, DC 20505

Colonel Jerry J. Perrizo  
AFOSR/NP, Building 410  
Bolling AFB  
Washington, DC 20332-6448

Dr. Thomas Weaver  
Los Alamos National Laboratory  
P.O. Box 1663, Mail Stop C335  
Los Alamos, NM 87545

J.J. Zucca  
Lawrence Livermore National Laboratory  
Box 808  
Livermore, CA 94550

Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314 (5 copies)

GL/SULL  
Research Library  
Hanscom AFB, MA 01731-5000 (2 copies)

Defense Intelligence Agency  
Directorate for Scientific &  
Technical Intelligence  
Washington, DC 20301

Secretary of the Air Force (SAFRD)  
Washington, DC 20330

AFTAC/CA  
(STINFO)  
Patrick AFB, FL 32925-6001

Office of the Secretary Defense  
DDR & E  
Washington, DC 20330

TACTEC  
Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201 (Final Report Only)

HQ DNA  
Attn: Technical Library  
Washington, DC 20305

Mr. Charles L. Taylor  
GL/LWH

Hanscom AFB, MA 01731-5000

DARPA/RMO/RETRIEVAL  
1400 Wilson Boulevard  
Arlington, VA 22209

DARPA/RMO/Security Office  
1400 Wilson Boulevard  
Arlington, VA 22209

Geophysics Laboratory  
Attn: XO  
Hanscom AFB, MA 01731-5000

Geophysics Laboratory  
Attn: LW  
Hanscom AFB, MA 01731-5000

DARPA/PM  
1400 Wilson Boulevard  
Arlington, VA 22209

CONTRACTORS (Foreign)

Dr. Ramon Cabre, S.J.  
Observatorio San Calixto  
Casilla 5939  
La Paz, Bolivia

Prof. Hans-Peter Harjes  
Institute for Geophysik  
Ruhr University/Bochum  
P.O. Box 102148  
4630 Bochum 1, FRG

Prof. Eystein Husebye  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

Prof. Brian L.N. Kennett  
Research School of Earth Sciences  
Institute of Advanced Studies  
G.P.O. Box 4  
Canberra 2601, AUSTRALIA

Dr. Bernard Massinon  
Societe Radiomana  
27 rue Claude Bernard  
75005 Paris, FRANCE (2 Copies)

Dr. Pierre Mecheler  
Societe Radiomana  
27 rue Claude Bernard  
75005 Paris, FRANCE

Dr. Svein Mykkeltveit  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

FOREIGN (Others)

Dr. Peter Basham  
Earth Physics Branch  
Geological Survey of Canada  
1 Observatory Crescent  
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Eduard Berg  
Institute of Geophysics  
University of Hawaii  
Honolulu, HI 96822

Dr. Michel Bouchon  
I.R.I.G.M.-B.P. 68  
38402 St. Martin D'Heres  
Cedex, FRANCE

Dr. Hilmar Bungum  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

Dr. Michel Campillo  
Observatoire de Grenoble  
I.R.I.G.M.-B.P. 53  
38041 Grenoble, FRANCE

Dr. Kin Yip Chun  
Geophysics Division  
Physics Department  
University of Toronto  
Ontario, CANADA M5S 1A7

Dr. Alan Douglas  
Ministry of Defense  
Blacknest, Brimpton  
Reading RG7-4RS, UNITED KINGDOM

Dr. Roger Hansen  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

Dr. Manfred Henger  
Federal Institute for Geosciences & Nat'l Res.  
Postfach 510153  
D-3000 Hanover 51, FRG

Ms. Eva Johannisson  
Senior Research Officer  
National Defense Research Inst.  
P.O. Box 27322  
S-102 54 Stockholm, SWEDEN

Dr. Fekadu Kebede  
Seismological Section  
Box 12019  
S-750 Uppsala, SWEDEN

Dr. Tormod Kvaerna  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

Dr. Peter Marshal  
Procurement Executive  
Ministry of Defense  
Blacknest, Brimpton  
Reading FG7-4RS, UNITED KINGDOM

Prof. Ari Ben-Menahem  
Department of Applied Mathematics  
Weizman Institute of Science  
Rehovot, ISRAEL 951729

Dr. Robert North  
Geophysics Division  
Geological Survey of Canada  
1 Observatory Crescent  
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Frode Ringdal  
NTNF/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY

Dr. Jorg Schlittenhardt  
Federal Institute for Geosciences & Nat'l Res.  
Postfach 510153  
D-3000 Hannover 51, FEDERAL REPUBLIC OF  
GERMANY

Prof. Daniel Walker  
University of Hawaii  
Institute of Geophysics  
Honolulu, HI 96822